

WIHARRODS L.

Harrods





MORCO RIB® Canopy System

RIB® Canopy System

Index

- 6 History & Present Day
- 8 Design & Craftsmanship
- 10 Application & Construction
- 12 Finishing & Customisation

RIB® Canopy System

- 15 RIB® Dutch Canopy
- **17** RIB® Wedge Canopy
- 19 RIB® Umbrella Canopy
- **21** RIB® Eyelid Canopy
- 23 RIB® Bespoke Canopy
- 25 RIB® Bullnose Entrance
- 27 RIB® Apex Entrance
- **29** RIB® Manhattan Entrance

Specification Guide

- 32 RIB Canopy Overview
- 33 RIB Entrance Overview
- **34** Frame, Centre Leg, Pole and Planter

Fixing Specification

- 36 Frame
- **37** Centre Leg
- **38** Pole and Planter


Options

- **40** Valance
- **41** Branding
- **42** Rear Panel

Finishes

- **44** Fabric Plain
- **46** Fabric Striped
- **47** Metalworl
- **48** Trin






Recognised as a design classic, the RIB® Canopy System is expertly hand-crafted in our Thameside workshop, this traditional awning is strong, practical and versatile and remains a specified option with design teams and architects. It is the recommended choice for listed and historic buildings, but is an equally sought-after solution for projects in a more contemporary setting.





History

Morco was founded in London in 1956 by Mr G H Morrison. as a specialist manufacturer of canopies, covers, sails and tarpaulins for London's busy waterways. His popularity with employees and customers saw his business grow steadily. 1967 saw Morco move to the current Riverside location on the Greenwich Peninsula. In 1978, his son George took over. Keen to utilise his design background, he began to construct specialist awnings on a much larger scale. With his fanatical attention to detail, Morco soon gained a reputation across the UK for outstanding quality awnings.



For over 50 years, Morco have established themselves as the nation's leading design and manufacturer of custommade awnings and canopies. It remains a family run business that prides itself on its heritage. There remains a dedicated and skillful team of craftsman and designers who all play a vital role in Morco's success story. The majority of products are still hand-built in our London workshop and a small amount are produced in Germany. Morco are keen to lead and focus heavily on pioneering new techniques or materials to improve our end products and deliver more options to our customers.






ronie scott's

ronnie's bar

ronnie sc





ronnie scorr's



Design

We have a talented and experienced design team skilled at working with and collaborating with architects, designers and contractors to achieve the perfect awning solution for projects ranging from the simple to the most complex. Our ability in producing extensive awning designs including digital visuals, 3D-models, DWG's and technical drawings, as well as manufacturing samples and prototypes, also mean we able to work directly for clients at the earliest stage of a project. As part of our unparalleled awning design service we are also able to offer clients the opportunity to utilise our cutting-edge RAGS branding and patterning system which has revoltionised the traditional parameters of fabric design.

Craftsmanship

Our manufacturing team combines a tradition of experienced craftsmen with uniquely skilled technicians. Proud of our reputation as market leaders, their dedication to projects from the simplest to the most challenging is unmatched. Every awning and canopy is individually handcrafted with the utmost care given to achieve perfection in all. Our clients are able to visit our workshop and as see all aspects of their awning created, from the fabrication and powdercoating of the fabric covers.










Application

Famously used on some of Europe's best known stores and buildings, the RIB canopy has always been a popular choice. Originating in France, it's enduring popularity has predominantly been due to the broad pallet of shapes and styles made possible with it's clever construction. Able to adapt to most types of shopfronts and fascias, the bespoke curvature of the frame can work with minimalist or grand façades to ensure nothing of the buildings architecture is lost, only enhanced. Even after a century of use we are still creating RIB canopies in a variety of classic, original and striking designs.

Construction

Although we pride ourselves on the coupling of traditional craftsmanship with cutting-edge technology, nowhere is this as evident as with the RIB canopy. Although the traditional method of creating a frame and fitting it with a tensioned fabric covering remains the same, we have developed a unique extruded framework with increased strength making it possible to construct greater dimensions, tensioning and design configurations. Although our Rib is the strongest in the country it also has smallest section at 25mm square. We are the only company to weld joins instead of riveting.









Finishing

With the wide range of fabric colours and metal finishes available the RIB® System offers endless possibilities to suit any setting. Metalwork finishes can be anodised or powdercoated to any RAL colour and all fabric colours are solution dyed. The fabric protected to maintain resistance throughout the life span of the awning and withstand the most demanding weather conditions. Also rather than the unattractive PVC tack-on trim used by all other companies, we are the only company to offer perfectly coordinated trim made from the same fabric as the cover.



All elements of the RIB® Canopy System are customisable, from its shape and size to the colours and branding. Whether from our classic range of RIB styles or something more modern and bespoke, every canopy is uniquely made with our designers able to help create the canopy perfect for you









RIB® Canopy System


RIB® Dutch Canopy




RIB® Wedge Canopy




RIB® Umbrella Canopy



RIB® Eyelic Canony



RIB® Bespoke Canopy



RIB® Bullnose




RIB® Apex



RIB® Manhattar



RIB® Canopy System | RIB® Dutch Canopy



The lasting appeal of the RIB® Dutch Canopy is its simplicity. A strong, practical canopy with good branding potential. Available with fixed or retractable option (utilising an alternative frame system), it can withstance almost anything the British weather can throw at it, depending on fixings. It can be fitted to most shop-fronts, even directly onto signs and shutter-boxes in most cases and is a viable alternative to the Folding-Arm or Victorian awning if a shop-front is not suitable for heavy fixings.

Maximum width: 6.0m (suitable for extending in articulated units) **Maximum projection:** 1.5m (variable subject to fixing conditions)

Orthographic Projections










RIB® Canopy System | RIB® Wedge Canopy



Orthographic Projections

ront elevation



side profile



plan view




A consistent favourite with designers and architects our RIB® Wedge Canopy creates a sharp, minimalist look. It is a non-retracting canopy with a strong aluminium frame that gives it great versatility. We can extend our RIB® Wedge Canopies around multiple elevations, apply them to almost any type of fascia and curve the aluminium to create distinctive individual canopies.

Maximum width: 6.0m (suitable for extending in articulated units) **Maximum projection:** 1.5m (variable subject to fixing conditions)



RIB® Canopy System | RIB® Umbrella Canopy




The RIB® Umbrella Canopy is a popular choice for entrances as they suit doorways and walkways very well, especially under archways following the curve of a structure. The umbrella design offers an elegant and lavish style that entices onlookers and draws in the crowds.

Maximum width: 6.0m (suitable for extending in articulated units) **Maximum projection:** 1.5m (variable subject to fixing conditions)

Orthographic Projections


front elevation



ide profile




plan view





RIB® Canopy System | RIB® Eyelid Canopy



Famously used in some of London's largest and most well-known department stores, this style has always been a favourite traditionally due to its elongated shape and adaptability to most shop fronts and fascias. The curvature of the RIB® Eyelid Canopy frame adds a soft and feminine touch to any grand façade. This canopy is also available as a retractable product utilising an alternative frame system.

Maximum width: 6.0m

Maximum projection: 1.5m (variable subject to fixing conditions)

Orthographic Projections

front elevation



side profile




olan view






RIB® Canopy System | RIB® Bespoke Canopy




Orthographic Projections





pian view



Our RIB® Bespoke Canopy framework is designed in such a way that allows us to create various design styles. We work with customers to create RIB® Bespoke Canopy of various shapes and styles, retractable and fixed, to accommodate many practicalities.

Maximum width: 6.0m (suitable for extending in articulated units) **Maximum projection:** 1.5m (variable subject to fixing conditions)



RIB® Canopy System | RIB® Bullnose Entrance





Adaptable for various uses each RIB® Entrance Canopy is tailored to suit customer's individual requirements. Due to its versatile framework we are able to turn corners, climb staircases and cover huge areas whils: withstanding all weathers. The RIB® Bullnose Entrance shelters people entering and leaving a property and provides hotels, restaurants and shops a prominent, elegant entrance. It can also be used to join two buildings together, creating an all-weather thoroughfare.

Maximum width: subject to site restrictions

Maximum projection: variable subject to fixing conditions

Orthographic Projections









RIB® Canopy System | RIB® Apex Entrance





The grandeur and general scale of this style is what sets the RIB® Apex Entrance from the other canopy styles, offering a striking geometric silhouette that catches the eye and adds originality to any hotel, restaurant or shop.


Maximum width: subject to site restrictions

Maximum projection: variable subject to fixing conditions

Orthographic Projections










RIB® Canopy System | RIB® Manhattan Entrance




Orthographic Projections





side profile




The RIB® Manhattan Entrance is a truly unique and opulent design that provides both decorative purpose as well as functional shelter to any entrance or walkway. The clean lines that wrap around this canopy create a simplified yet lavish aesthetic that can be customised to match any existing theme. The elongated flat side panels give a greater opportunity to showcase branding or advertising.

Maximum width: subject to site restrictions

Maximum projection: variable subject to fixing conditions

plan vie






RIB® Canopy System | Specification Guide



RIB® Canopy System | RIB® Canopy Overview





RIB® Canopy System | RIB® Entrance Overview



RIB® Canopy System | Frame, Centre Leg, Pole and Planter

Centre Leg overall length of centre leg concealed tube base surface mounted plate Frame & Trim Planter








RIB® Canopy System | Fixing Specifications | Frame

Timber



Fixing: Coach screw

Denth: 50mm (min

Softwood

Fixing: Coach screw Size: M8x 80mm

Depth: 75mm (mir

Stee



Fixing: Hex bolt


5126. MO X ZUITIII

Fixing position:

Face fixed. Every 200mm along the length of the


Please note: the information on this page is for guidance only. All projects to be evaluated after site visit.

Concrete/Brickwork



Fixing: Anchor bolt Size: M8 x 100mm

ascia Cladding



Fixing Resin holt / studding M8

Size: M8 (studding length subject to application)

Depth: 250mm (min)

RIB® Canopy System | Fixing Specifications | Centre Leg

Timber

Fixing: Coach screw


Denth: 50mm (min)

Softwood

Fixing: Coach screw **Size:** M12 x 80mm

Depth: 75mm (mir

Stee



Fixing: Hex bolt
Size: M12 x 20mm

Fixing position:

Face fixed. One centre leg required every approximately 3m when the width is longer than 4m


Please note: the information on this page is for guidance only. All projects to be evaluated after site visit.

Concrete/Brickwork



Fixing: Anchor boit Size: M12 x 100mm Denth: 100mm (min)

Fascia Cladding




Fixing: Resin bolt / studding M12

Size: M12 (studding length subject to application)

Depth: 250mm (min)

RIB® Canopy System | Fixing Specifications | Pole & Planter


Concealed Tube Base



Concrete / Concrete slab

Fixing: Anchor bolt
Size: M16 x 200mm
Depth: 200mm (min)
Quantity: 1no per base


Surface Mounted Plate



Concrete / Concrete slab

Fixing: Anchor bolt
Size: M16 x 200mm
Depth: 200mm (min)
Ouantity: 4no per plate

Planter




Please note: the information on this page is for guidance only. All projects to be evaluated after site visit




RIB® Canopy System | Options | Valance

Loose



Valance height: 100 to 500 mm (standard 200 mm)

Fixed




Please note: fixed valances integrated into the framework with a frame on both top and bottom

Fixed valance only available with straight styling

Valance styles











RIB® Canopy System | Options | Branding

Logo



Text



Full pattern




Gilding




RIB® Canopy System | Options | Rear Panel

RIB® Umbrella Canopy

with rear panel




without rear pane




RIB® Eyelid Canopy

with rear panel




without rear panel




RIB® Bullnose Entrance

with rear panel




RIB® Anex Entrance

with rear panel



without rear panel



RIB® Canopy System | Finishes

RIB® Canopy System | Finishes | Fabric Plain

7.1	17.7			-76		
RKS-099 white	RKS-317 haya	RKS-122 seashell	RKS-117 raw	RKS-415 marble	RKS-217 ivory	RKS-220 argent
				11-1		
RKS-148 desert	RKS-115 cream	RKS-121 wheat	RKS-779 beige tweed	RKS-180 sand	RKS-145 tenerife	RKS-222 oak buff
	37.5	60000				
RKS-133 cinnamon	RKS-126 linen	RKS-107 champagne	RKS-108 vanilla	RKS-113 cava	RKS-119 duna	RKS-100 beige
RKS-178 toast	RKS-139 heather beige	RKS-143 hemp beige		RKS-188 lemon	RKS-237 pineapple	RKS-239 yellow tweed
			100			
RKS-554 yellow	RKS-240 honey	RKS-149 corn	RKS-111 camel	RKS-158 ochre	RKS-101 mandarin	
RKS-185 pumpkin		RKS-241 Pheonix	RKS-105 salmon	RKS-176 red	RKS-182 vermillion	RKS-177 burgundy
RKS-104 chestnut	RKS-195 cacao	RKS-243 tapenade		RKS-156 brown	RKS-181 coffee	RKS-165 mauve
RKS-110 lilly	RKS-171 turquoise	RKS-193 light blue	RKS-229 saphire	RKS-169 steel blue	RKS-172 blue	RKS-232 denim
		7		9111		
RKS-173 dark blue	RKS-236 jeans	RKS-170 admiral blue	RKS-199 atlantic blue	RKS-174 navy blue	RKS-175 captain navy	RKS-189 lime

MORCO 🔊

RIB® Canopy System | Finishes | Fabric Plain



MORCO 🔪

RIB® Canopy System | Finishes | Fabric Striped



Other combinations of colours also available

RIB® Canopy System | Finishes | Metalwork



This is a selection of the most popular colours, please note, we are able to match any RAL colour.


RIB® Canopy System | Finishes | **Trim**

Concealed Pipe Trims


RKS-099 white	RKS-155 blue marble	RKS-122 seashell	RKS-117 raw
RKS-415 marble	RKS-148 desert	RKS-115 cream	RKS-121 wheat
	74-31-11		
RKS-779 beige tweed	RKS-180 sand	RKS-145 tenerife	RKS-133 cinnamon
RKS-126 linen	RKS-107 champagne	RKS-108 vanilla	RKS-113 cava
RKS-119 duna	RKS-100 beige	RKS-139 heather beige	RKS-143 hemp beige
RKS-775 linen tweed	RKS-188 lemon	RKS-554 yellow	RKS-149 corn
RKS-111 camel	RKS-158 ochre	RKS-778 mandarin tweed	RKS-101 mandarin
RKS-567 orange	RKS-106 flamingo	RKS-105 salmon	RKS-176 red
RKS-182 vermillion	RKS-154 pacharán	RKS-777 cherry tweed	RKS-177 burgundy
RKS-104 chestnut	RKS-195 cacao	RKS-156 brown	RKS-181 coffee
	1 1 1 1		
RKS-015 rockwood red	RKS-165 mauve	RKS-110 lilly	RKS-193 light blue

RIB® Canopy System | Finishes | Trim II

Concealed Pipe Trims



Concealed Tape Trims



Other colours are available subject to requirement

RIB® Canopy System

Contact details:

tel: +44 (0)20 8858 2083 info@morcoblinds.co.uk www.morcoawnings.co.uk

Morco Awnings Limited, Riverside, Lombard Wall, London SE7 7SS

Morco Awnings are part of the Riverside Works Group